

DKS ENTERPRISES



APPEX INDIA

IMPORTER & MANUFACTURERS

Spl. Hydraulic Hose Pipe, S.S. Wire Braided & Corrugated Hose, Teflon & Steam,
Low & High Pressure Earthmoving & Mining Equipments



HYDRAULIC HOSE

421SN - HYDRUALIC

EXCEEDS EN 8531SN / SAE100 R1AT

# Part Number	Hose I.D.		Hose R.O. D	Hose O.D.	Working pressure		Minimum Bend Radius		Approx Weight	
	Inch	Mm			Mm	Mm	Psi	Bar	Inch	Mm
421SNPMHITEMP 4PM	1/4	6.4	11.1	13.4	3250	225	4.0	110	0.15	0.23
421SNPMHITEMP 5PM	5/16	7.9	12.7	15.0	3125	215	4.5	115	0.18	0.33
421SNPMHITEMP 4PM	3/8	9.5	15.1	17.4	2600	180	5.0	130	0.22	0.33
421SNPMHITEMP 8PM	1/2	12.7	18.2	20.7	2325	160	7.0	180	0.30	0.44
421SNPMHITEMP 10PM	5/8	15.9	21.4	23.9	1875	130	8.0	200	0.34	0.50
421SNPMHITEMP 12PM	3/4	19.0	25.4	27.8	1525	105	9.5	240	0.46	0.68
421SNPMHITEMP 16PM	1	25.4	33.3	35.5	1275	88	12.0	300	0.63	0.94
421SNPMHITEMP 20PM	1-1/4	31.8	40.5	43.5	900	63	16.5	420	0.97	1.44
421SNPMHITEMP 24PM	1-1/2	38.8	46.4	50.4	725	50	20.0	500	1.07	1.59
421SNPMHITEMP 32PM	2	50.8	59.5	63.5	575	40	25.0	630	1.51	2.25

HYDRAULIC HOSE

EN 8532SN/SAE100 R2 AT



# Part Number	Hose I.D.		Hose R.O. D	Hose O.D.	Working pressure		Minimum Bend Radius		Approx Weight	
	Inch	Mm			Mm	Mm	Psi	Bar	Inch	Mm
301SNMSHA- 4	1/4	6.4	12.9	15.0	5800	400	2.0	50	0.26	0.39
301SNMSHA- 5	5/16	7.9	14.3	16.6	5000	350	2.2	58	0.29	0.43
301SNMSHA- 6	3/8	9.5	16.9	19.9	4775	330	2.5	65	0.36	0.53
301SNMSHA- 5	1/2	12.7	19.8	22.3	4000	275	3.5	90	0.42	0.63
301SNMSHA- 10	5/8	15.9	23.0	25.5	3600	250	4.0	100	0.50	0.74
301SNMSHA- 12	3/4	19.0	27.0	29.4	3100	215	4.8	120	0.64	0.95
301SNMSHA- 16	1	25.4	34.9	38.1	2400	165	6.0	150	0.91	1.35
301SNMSHA- 20	1-1/4	31.8	44.0	47.5	1800	125	16.5	420	1.52	2.26
301SNMSHA- 24	1-1/2	38.1	50.8	54.5	1300	90	20.0	500	1.58	2.35
301SNMSHA- 32	2	50.8	63.5	67.2	1150	80	25.0	630	1.96	2.92

HYDRAULIC HOSE

421SN - HYDRUALIC

EXCEEDS EN 8531SN / SAE100 R6AT



# Part Number	Hose I.D.		Hose O.D. Mm	Working pressure		Minimum Bend Radius		Approx Weight	
	Inch	Mm		Psi	Bar	Inch	Mm	lbs/ft	Kg/m
SAE100RGPM - 4PM	1/4	6.4	12.7	400	28	2.5	64	0.9	0.13
SAE100R6PM - 5PM	5/16	7.9	14.3	400	28	3.0	76	0.11	0.16
SAE100R6PM - 6PM	3/8	9.5	15.9	400	28	3.0	76	0.12	0.18
SAE100R6PM - 6PM	1/2	12.7	19.8	400	28	4.0	102	0.17	0.28
SAE100R6PM - 8PM	5/8	15.9	23.0	350	24	5.0	127	0.20	0.3
SAE100R6PM - 12PM	3/4	19.0	26.6	300	21	6.0	152	0.23	0.34
SAE100R6PM - 16PM	1	25.4	32.5	300	21	9.1	230	0.31	0.46
SAE100R6PM - 20PM	1.25	31.8	39.8	300	21	9.1	230	0.31	0.46

HYDRAULIC HOSE

731 TYPE 4SH /SAE J1942 / EN 856 TYPE 4SH

Application : Petroleum Base Hydraulic Fluids and Lubricating Oils.
 Inner Tube : Synthetic Rubber, Reinforcement, Four Spiral Steel Wire,
 Cover : Synthetic Rubber, Temperature Range : - 40 F to +212 F(-40 C to 100 C)
 Fittings : 73 Series - pg, B-85



# Part Number	Hose I.D.		Hose O.D.		Working pressure		Minimum Bend Radius		Approx Weight	
	Inch	Mm	Inch	Mm	Psi	Bar	Inch	Mm	lbs/ft	Kg/m
731-12	3/4	19	1.27	32	6000	420	11	280	1.16	1.72
731-16	1	25	1.52	39	5500	380	13-1/2	340	1.44	2.14
731-20	1-1/4	31.5	1.79	45	4700	355	18	460	1.99	2.96
731-24	1-1/2	38	2.10	53	4200	290	22	560	2.15	3.20
731-32	2	51	2.68	68	3600	250	27	700	3.56	5.30


HYDRAULIC HOSE

TYPE 4SP / SAE J1942 / EN 856 TYPE 4SP

Application : Petroleum Base Hydraulic Fluids and Lubricating Oils
 Inner Tube : Synthetic Rubber. Reinforcement : Four Spiral Steel Wire
 Cover : Synthetic Rubber, Temperature Range - 40 F to 212 F (-40 C to +100C)
 Fittings : 70 Series - pg B-61



# Part Number	Hose I.D.		Hose O.D.		Working pressure		Minimum Bend Radius		Approx Weight	
	Inch	Mm	Inch	Mm	Psi	Bar	Inch	Mm	lbs/ft	Kg/m
701- 6	3/8	10	0.84	21	6500	450	7	180	0.52	0.78
701- 8	1/2	12.5	0.97	25	6000	415	9	230	0.62	0.93
701- 10	5/8	16	1.11	28	5000	350	10	250	0.77	1.15



Established at Delhi, India, We "DKS Enterprises" are One of The Leading Names Engaged In Manufacturer, Trader and Exporter a Board Assortment of of Expansion Joint Bellows, SS Corrugated Hoses, Automotive Exhaust Connectors and Much More, We, with Our Devotion and Obligation, Have managed to Win Over Clients From Across The Indian Subcontinent

Through Constant Market Researches and Technical upliftment of All Our S.S. Hoses & S.S. Bellows, We Have Been Able to Fabricate Products in Conformity With International Quality Standards to Meet The Changing Market Needs. Empowered with A Team of Qualitative Products to Our Clients.

We Have Been Able To Extent New Heights of Success Owing to The Suport and Encouragement.

DKS ENTERPRISES

B-78, Mukund Vihar, Karawal Nagar, Delhi - 110094
Sales Office : 4094, 1st Floor, Ajmeri Gate, Delhi -110006

9810584803, 9711764803 011-40831403